ELSEVIER

J. Biochem. Biophys. Methods 39 (1999) 187–188

JOURNAL OF
biochemical and
biophysical
methods

Author Index

Ataman, D., see Özer, N. (39) 153

Bhargava, A.K., Lal, H. and Pundir, C.S.
Discrete analysis of serum uric acid with immobilized uricase and peroxidase (39) 125

Cardoso, O., see Thoumine, O. (39) 47
Castagnola, M., see Messana, I. (39) 63
Chaouk, H. and Hearn, M.T.W.
Examination of the protein binding behaviour of immobilised copper (II)-2,6-diaminomethylpyridine and its application in the immobilised metal ion affinity chromatographic separation of several human serum proteins (39) 161

D'Souza, S.F., see Marolia, K.Z. (39) 115

el-Sherbini, S., see Messana, I. (39) 63
Ercan, A., see Özer, N. (39) 153

Farh, L., see Hwang, S.-Y. (39) 111

Gan, Z. and Marquardt, R.R.
Colorimetric competitive inhibition method for the quantitation of avidin, streptavidin and biotin (39) 1
Giardina, B., see Messana, I. (39) 63

Hamana, H., see Han, B. (39) 85
Han, B., Hamana, H. and Shinozawa, T.
Sensitive detection of the binding of E2F to its promoter by exonuclease III- and *Bss*HII-protection PCR assays (39) 85
Hearn, M.T.W., see Chaouk, H. (39) 161
Hwang, S.-Y., Su, V., Farh, L. and Shiuan, D.
Bioassay of biotin concentration with a *Escherichia coli bio* deletion mutant (39) 111

Kondoh, G., Yamamoto, Y., Yoshida, K., Suzuki, Y., Osuka, S., Nakano, Y., Morita, T. and Takeda, J.
Easy assessment of ES cell clone potency for chimeric development and germ-line competency by an optimized aggregation method (39) 137
Kutub Ali, M., see Tayyab, S. (39) 39

Lal, H., see Bhargava, A.K. (39) 125

Manabe, T., see Shimazaki, Y. (39) 179
Mao, Q. and Pawliszyn, J.
Capillary isoelectric focusing with whole column imaging detection for analysis of proteins and peptides (39) 93
Marolia, K.Z. and D'Souza, S.F.
Enhancement in the lysozyme activity of the hen egg white foam matrix by cross-linking in the presence of *N*-acetyl glucosamine (39) 115
Marquardt, R.R., see Gan, Z. (39) 1
Meister, J.-J., see Thoumine, O. (39) 47
Messana, I., Misiti, F., el-Sherbini, S., Giardina, B. and Castagnola, M.
Quantitative determination of the main glucose metabolic fluxes in human erythrocytes by ^{13}C- and ^{1}H-MR spectroscopy (39) 63
Misiti, F., see Messana, I. (39) 63
Morita, T., see Kondoh, G. (39) 137
Mudd, C.
Evaluation of phase transition errors in heat capacity calorimeters using SPICE simulated RC models (39) 7
Müftüoglu, M., see Özer, N. (39) 153

Nakano, Y., see Kondoh, G. (39) 137

Ögüs, I.H., see Özer, N. (39) 153
Ohara, S., see Shimazaki, Y. (39) 179
Osuka, S., see Kondoh, G. (39) 137
Ott, A., see Thoumine, O. (39) 47
Özer, N., Müftüoglu, M., Ataman, D., Ercan, A. and Ögüs, I.H.
Simple, high-yield purification of xanthine oxidase from bovine milk (39) 153

S0165-022X(98)00022-6

Pan, Yu.-C.E., see Sun, H. (39) 143
Pawliszyn, J., see Mao, Q. (39) 93
Pundir, C.S., see Bhargava, A.K. (39) 125

Shimazaki, Y., Ohara, S. and Manabe, T.
Protein spot recognition on the non-denaturing and denaturing two-dimensional electrophoresis patterns using in situ immunosubtraction via Protein A agarose and antibodies (39) 179
Shinozawa, T., see Han, B. (39) 85
Shiuan, D., see Hwang, S.-Y. (39) 111
Su, V., see Hwang, S.-Y. (39) 111
Sun, H. and Pan, Yu.-C.E.
Using native gel in two-dimensional PAGE for the detection of protein interactions in protein extract (39) 143
Suzuki, Y., see Kondoh, G. (39) 137

Takeda, J., see Kondoh, G. (39) 137
Tayyab, S. and Kutub Ali, M.
A comparative study on the extraction of membrane-bound bilirubin from erythrocyte membranes using various methods (39) 39
Thoumine, O., Ott, A., Cardoso, O. and Meister, J.-J.
Microplates: a new tool for manipulation and mechanical perturbation of individual cells (39) 47

Yamamoto, Y., see Kondoh, G. (39) 137
Yoshida, K., see Kondoh, G. (39) 137

ELSEVIER

J. Biochem. Biophys. Methods 39 (1999) 189

JOURNAL OF
biochemical and
biophysical
methods

Subject Index

Adhesion, (1–2) 47
Aggregation, (3) 137
Antibody, (3) 179
Avidin, (1–2) 1

Bilirubin, (1–2) 39
Bioassay, (1–2) 111
Biotin, (1–2) 1
Biotin concentration, (1–2) 111
bisampyr, (3) 161
Bovine milk, (3) 153
*Bss*HII, (1–2) 85

Capillary isoelectric focusing, (1–2) 93
Cellular morphology, (1–2) 47
Chimerism, (3) 137
Colorimetry, (3) 125
Competitive inhibition assay, (1–2) 1
Cross-linking, (1–2) 115

2-DE, (3) 179
Differential scanning calorimetry, (1–2) 7

E. coli biotin mutant, (1–2) 111
Embryonic stem cell, (3) 137
Erythrocyte membrane, (1–2) 39
Erythrocytes, (1–2) 63
Exonuclease III, (1–2) 85

Germ-line transmission, (3) 137
Glutaraldehyde, (1–2) 115
Glycolysis, (1–2) 63

Heat capacity, (1–2) 7
Hemopexin, (3) 179
Hen egg white, (1–2) 115
HMYO, (3) 161
Human serum albumin, (1–2) 39

IgG, (3) 179
IMAC, (3) 161
Immobilization, (1–2) 115
Immobilized enzymes, (3) 125

Lysozyme, (1–2) 115

Mechanical properties, (1–2) 47
Metabolic simulation, (1–2) 63
Micromanipulation, (1–2) 47
Morphometry, (1–2) 47

Native gel electrophoresis, (3) 143
Nuclear magnetic resonance, (1–2) 63
N-Acetyl glucosamine, (1–2) 115

PCR, (1–2) 85
Pentose phosphate pathway, (1–2) 63
Phase transition errors, (1–2) 7
Protein A, (3) 179
Protein and peptide analysis, (1–2) 93
Protein database, (3) 143
Protein sequence, (3) 143
Protein–protein interaction, (3) 143
Purification, (3) 153

RC modeling, (1–2) 7
Relaxation calorimetry, (1–2) 7

Sepharose, (3) 161
Sodium dodecyl sulfate, (1–2) 39
SPICE simulation, (1–2) 7
Streptavidin, (1–2) 1
Subunit composition, (3) 153

Thermal conductivity, (1–2) 7
Transcription factor E2F, (1–2) 85
Transferrin, (3) 179
Two-dimensional gel electrophoresis, (3) 143

Uniaxial force, (1–2) 47
Uric acid determination, (3) 125

'Virtual instrument' design, (1–2) 7

Whole column imaging detection, (1–2) 93

Xanthine oxidase, (3) 153

S0165-022X(98)00023-8